

February 13, 2025

UPDATE: Product Allocations for U.S. IV Products – Hurricane Impact on Baxter’s North Cove, NC Facility

Dear Valued Customer:

As communicated on the Baxter website on January 28, we continue to make strong progress at North Cove and have now restarted all of the site’s 10 manufacturing lines. While some lines require additional time to ramp up production, we currently expect to be producing at pre-hurricane levels across the plant in the first quarter of 2025.

We are pleased to share specific changes in allocation levels for seven top volume groups of product codes that will increase to 110% effective February 18, 2025. These increases in allocation levels are described in Tables 1 and 2 below and are consistent for Baxter’s direct customers and distribution partners. **Please note that there is a typical 1 to 2-week lag time for product to flow through the full distribution network after allocation changes are implemented.**

If your facility is a designated children’s hospital or has received an approval through the pediatric allocation exception process, your allocation levels will increase to 110% as listed in the Tables 1 and 2.

Allocations for your facility are determined based on historical ordering from March 1, 2024 to August 31, 2024.

As seen in Table 1, the allocations refer to **groups of product codes**, meaning customers may receive a combination of product codes to reach the set allocation level for that product group.

Table 1: Product Groups with Assigned Allocation Levels, Codes, Descriptions, and NDCs

Product Group	Code	Description	NDC	Current Allocation Level	Current Allocation Level in Total	2/18 Allocation Level	2/18 Allocation Level in Total
0.9% INJECTION 500ML	2B1323Q	SOD CHLOR 0.9% INJ USP VIAFLEX 500ML	0338-0049-03	60%	100%	60%	110%
	UE1323	NACL 0.9% VIAFLO 500ML	0338-9543-03	40%		50%	
SODIUM CHLORIDE 0.9% INJECTION 250ML	2B1322Q	SOD CHLOR 0.9% INJ USP VIAFLEX 250ML	0338-0049-02	60%	100%	60%	100%
	A6C1322US*	SODIUM CHLORIDE 0.9% 250ML IVINA	0338-9791-01	40%		40%	

*Denotes Temporary Importation Code. The lot numbers of these Codes, which FDA authorized for importation and distribution by Baxter, are searchable on <https://meded.baxter.com/hurricane-helene-clinical-resources/baxter-resources-for-products-authorized-for-temporary-importation>

As seen in Table 2 on page 2, allocation levels are assigned to the Baxter U.S. product codes (which begin with “2B”) and not the temporary importation product code(s) denoted by an asterisk. Temporary importation product codes can be utilized as a substitute for their corresponding Baxter U.S. product codes. Please work with your Baxter representative if you would like to order temporary importation product codes.

Table 2: Product Groups, Codes, Descriptions, NDCs, and Allocation Levels

Product Group	Code	Description	NDC	Current Allocation Level	Current Allocation Level In Total	2/18 Allocation Level	2/18 Allocation Level In Total
SODIUM CHLORIDE 0.9% INJECTION 1000ML	2B1324X	SOD CHLOR 0.9% INJ USP VIAFLEX 1000ML	0338-0049-04	100%	100%	110%	110%
5% DEXTROSE INJECTION 1000ML	2B0064X	DEXTROSE 5% INJECTION USP VIAFLEX 1000ML MIGRATED	0338-0017-04	100%	100%	100%	100%
5% DEXTROSE INJECTION 500ML	2B0063Q	DEXTROSE 5% INJECTION USP VIAFLEX 500ML MIGRATED	0338-0017-03	100%	100%	110%	110%
5% DEXTROSE INJECTION 250ML	2B0062Q	DEXTROSE 5% INJECTION USP VIAFLEX 250ML MIGRATED	00338-0017-02	100%	100%	110%	110%
5% DEXTROSE +0.9% SODIUM CHLORIDE 1000ML	2B1064X	5% DEXTROSE +0.9% SODIUM CHLORIDE 1000ML	00338-0089-04	100%	100%	100%	100%
	A6C1064US*	5% GLUCOSE +0.9% SODIUM CHLORIDE 1000ML	0338-9799-01	NA ¹		NA ¹	
PLASMA-LYTE A INJECTION PH 7.4 1000ML	2B2544X	PLASMA-LYTE A INJECTION PH 7.4 MULTIPLE VIAFLEX 1000ML	0338-0221-04	100%	100%	100%	100%
	JB2544*	PLASMA-LYTE A INJ VIALFEX 1000ML	0338-9591-01	NA ¹		NA ¹	
	GCCE0324*	PLASMA-LYTE VIAFLO GCC 1000ML	0338-9593-01	NA ¹		NA ¹	
LACTATED RINGERS INJECTION 1000ML	2B2324X	LACTATED RINGER INJECTION, USP VIAFLEX 1000ML	0338-0117-04	100%	100%	100%	100%
	JB2324*	SOLUTION, LACTATED RINGERS INJ VIAFLEX 1000ML	0338-9600-01	NA ¹		NA ¹	
LACTATED RINGERS INJECTION 500ML	2B2323Q	LACTATED RINGER INJ, USP VIAFLEX 500ML	0338-0117-03	100%	100%	110%	110%
LACTATED RINGERS INJECTION 250ML	2B2322Q	LACTATED RINGER INJ, USP VIAFLEX 250ML	0338-0117-02	100%	100%	110%	110%
0.9% SODIUM CHLORIDE IRRIGATION 3000ML	2B7127	0.9% SODIUM CHLORIDE IRRIGATION USP VIAFLEX 3000ML UROMATIC	0338-0047-47	100%	100%	110%	110%
	JB7127*	0.9% SODIUM CHLORIDE IRRIGATION USP VIAFLEX 3000ML	0338-9834-01	NA ¹		NA ¹	
	3KB7127*	0.9% SODIUM CHLORIDE IRRIGATION USP VIAFLEX 3000ML	0338-0110-01	NA ¹		NA ¹	
LACTATED RINGERS IRRIGATION, 3000ML	2B7487	LACTATED RINGERS IRRIGATION USP VIAFLEX 3000ML ARTHROMATIC	0338-0137-27	100%	100%	110%	110%

*Denotes Temporary Importation Code. The lot numbers of these Codes, which FDA authorized for importation and distribution by Baxter, are searchable on <https://meded.baxter.com/hurricane-helene-clinical-resources/baxter-resources-for-products-authorized-for-temporary-importation>

¹Denotes there is no allocation level assigned to this Temporary Importation Code and can be used as a substitution to get to the allocation level assigned to the corresponding Baxter U.S. product code.

For medical information, support or questions, please contact MedInfo@Baxter.com, call 1-800-933-0303, or visit [Hurricane Helene Conservation and Medical Information Resources | Baxter](#).

Thank you for your patience and partnership as we navigate this difficult situation.

Sincerely,

Mary Henson

General Manager, U.S. and Canada
Infusion Therapies and Technologies